Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



U. S. Departinent of Agriculture.

U. S. DEPARTMENT OF AGRICULTURE,

STITUTE OF

WASHINGTON, D. C.

Brink and Vegetable Crops and Diseases

0 8 3591

WHOLESALE PRICE LIST OF

HARDY TREES, SHRUBS AND

FLOWERING PLANTS, FERNS

COLLECTED AND GROWN BY

JOSEPH C. KING

NASSAU, NEW YORK RENSSELAER COUNTY

TERMS AND CONDITIONS

All stock offered in this trade list is first class collected stock, except varieties marked thus (*); these are Nursery grown.

1 accept all orders on condition that they be void should any injury befall stock from causes over which I have no control. At prices at which I offer stock, I give no warranty except GENUINENESS, the purchaser assuming all risk of the planting, transportation and life of the stock.

My responsibility ceases on delivery of stock to transportation company and receipt taken.

500 at the 1000 rate, 50 at the 100 rate, 5 at the 10 rate. Boxes and bales charged for at cost. All bills due December 1st, for fall shipments, and June 1st for spring Shipments.

DISCOUNTS 2% 10 days, 1% 30 days.

THIS price list cancels all previous quotations.

Long distance telephone NASSAU, N. Y.

JOSEPH C. KING

Lining out Shrubs

| Dinnig ou | it Ominos | |
|-------------------------------|--------------|----------|
| | Per 100 | Per 1000 |
| Potentilla Fraticosa, Shrubb | y Cinquefoil | |
| 8-12 in, | \$2 00 | \$15 00 |
| 12-18 in, | 2 50 | 20 00 |
| Diervilla Trifida, Bush Hon | eysuckle, | |
| 12-18 in, | 2 00 | 15 00 |
| Comptonia Asplenfolia, Swe | et Fern, | |
| 12-18 in, | 2 00 | 15 00 |
| White or purple Lilac, | | |
| 6-12 in, | 2.00 | 10 00 |
| * 12-18 in, | 2.50 | 20.00 |
| * 18-24 in, | 3 50 | 30 00 |
| Ilex Verticillata, Winterberr | у, | |
| 12-18 in, | 2 50 | 20.00 |
| 18-24 in, | 3 50 | 30.0) |
| Rhus Typhinia, Staghorn St | ımaclı, | |
| 12-18 in, | 2 09 | 15 00 |
| 18-24 in, | 2.50 | 20.00 |
| Rhus Glabra, Smooth Suma | ch, | |
| 12-18 in, | 20) | 15.00 |
| 18-24 in, | 2 50 | 20-00 |
| Alnus Incana, Tag Alder, | | |
| 12-18 in, | 2.00 | 15 €0 |
| 18-24 in, | 2.50 | 20.00 |
| Cornus Paniculata, Gray Do | gwood, | |
| 12-18 in, | 2 00 | 15 00 |
| 18-24 in, | 2 50 | 20.00 |
| Prunus Virginiana, Chokech | erry, | |
| 12-18 in, | 2 00 | 15 00 |
| 18-24 in, | 2 50 | 20 00 |
| Viburnum Acerifolium, Docl | kmackie, | |
| 12-18 in, | 2 50 | 20 00 |
| 18-24 in, | 3 00 | 25 00 |
| Spireaca Tomentosa, Pink St | eeple Bush, | |
| 12-18 in, | 2 50 | 20 00 |
| 18-24 in, | 3 00 | 25 00 |

| | Per 100 | Per 1000 |
|-------------------------------------------------|---------------|------------------------|
| Spireaea Tomentosa, Alba. White, | 2 50 | 20.00 |
| 12-18 in, 18-24 in, | 3 00 | 20 00 2 5 00 |
| Spireaea Salicifolia, Meadow spire | | |
| 12-18 in, 18-24 in, | 2 50 3 00 | 20 00 25 00 |
| Lining out Ti | | 23 00 |
| *Acer Saccharum, Sugar or Rock I | | |
| 12-18 in, | 2 00 | 15 00 |
| 18-24 in, | 2 50 | 20 00 |
| *Acer Rubrum, Scarlet or Red Mar 12-18 in, | 2 00 | 15 00 |
| 18-24 in, | 2 50 | 20 00 |
| Amelanchier Canadensis, Shad Blo | | 20.00 |
| 12-18 in, 18-24 in, | 2 50 3 00 | 20 00 25 00 |
| * Betula Papyrifera, Conoe or Pape | er Birch, | |
| 8-12 in, | 2 00 | 15 00 |
| 12-18 in, Betula Populifolia, American Gray | 2 50 Birch | 20 00 |
| 12-18 in, | 2 00 | 15 00 |
| 18-24 in, | 2 50 | 20 00 |
| Betula Lutea, Yellow or Silver Bir 12-18 in, | 2 50 | 20 00 |
| 18-24 in, | 3 00 | 25 00 |
| Betula Lenta, Sweet Birch, | 2.00 | |
| 12-18 in, 18-24 in, | 2 00 2 50 | 15 00 20 00 |
| Prunus Pennsylvanica, Bird Cherr | | 20 00 |
| 12-18 in, | 2 00 | 15 00 |
| 18-24 in, Prunus Serotina, Black Cherry, | 2 50 | 20 00 |
| 12-18 in, | 2 50 | 20 00 |
| 18-24 in, | 3 00 | 25 00 |
| Crataegus Coccinea, White Thorn, 12-18 in, | 3 00 | 25 00 |
| 18-24 in, | 4 00 | 35 00 |
| Populus Tremuloides, | | |
| 12-18 in, 18-24 in, | 2 00 2 50 | 15 00 20 00 |
| * Quercus Rubra, Red Oak, | 2 30 | 20 00 |
| 12-18 in, | 5 00 | 40 00 |
| 18-24 in, * Quercus Alba, White Oak, | 6 00 | 50 00 |
| 12-18 in, | 5 00 | 40 00 |
| 18-24 in, | 6 00 | 50 00 |
| Ostrya Virginica, Ironwood, | 2 50 | 20 00 |
| 12-18 in, 18-24 in, | 3 00 | 25 00 |
| Fraxinus Americana, White Ash, | | |
| 12-18 in, | 2 00 2 50 | 15 00 20 00 |
| Evergreens, Field | | |
| Evergreens, Fren | Per 100 | Per 1000 |
| Tsuga Canadensis, Hemlock, | | |
| 4-6 in, | 2 00 | 15 00 |
| 6-12 in, 12-18 in, | 2 50 5 60 | 20 °0 40 00 |
| 18-24 in, | 8 00 | 75 00 |
| Juniper Communis, Del ressa, | 2.00 | 1 F 00 |
| 6-8 in, 8-12 in, | 2 00 3 00 | 15 00 25 00 |
| Kalmia Augustifolia, Low Laurel, | 0 .70 | 25 00 |
| 12-18 in, | 3 00 | 25 00 |
| 18-24 in, | 4 00 | 35 00 T Size |
| Rose Bushes, Strong F | | 3 2176 |
| 2-3 ft, | 4 0 0 | 30 00 |
| 3-4 ft, | 5 00 | 40 00 |
| Rosa Lucida, Dwarf Rose, 12-18 in, | 3 00 | 25 00 |
| 12-10 III, | 0 00 | 20 00 |



Perennials, Selected Strong Plants

| | Per 10 | Per 100 | Per 1000 |
|----------------------------------------------------------------------------|------------------|--------------|----------------|
| Aster Novae Anglae, New England aster | \$ 50 | \$3 00 | \$20 00 |
| '' Paniculatus, tall white, '' Puniceus, moist ground, | 50 | 3 00 | 20 00 |
| '' Cordifolus, blue wood aster, | 5 0 50 | 3 00 3 00 | 20 00 20 00 |
| '' Multiflorus, pure white, | 50 | 3 00 | 20 00 |
| '' Laevis, showy blue, | 50 | 3 00 | 20 00 |
| * Aquilegia Canadensis, red columbine, | 50 | 3 00 | 20 00 |
| Acornus Calamus, sweet flag, | 50 | 3 00 | 20 00 |
| Erythronium Americanum, trout lily, | 50 | 2 00 | 15 00 |
| Eurpatorium Purpureum, tall purple, | 1 00 | 4 00 | 30 00 |
| Perfoliatum, tall white, * '' Ageratoides, white snake root, | 1 00 | 4 00 | 30 00 |
| * Hemerocallis Fulva, day lily, yellow, | 1 00 50 | 4 00 3 00 | 30 00 20 00 |
| Hepatica Auctiloba, liver leaf, | 50 | 3 00 | 25 00 |
| Hypericum Perforatum, yellow flowers, | 50 | 3 00 | 25 00 |
| Helianthus Giganticus, wild sun flower, | 50 | 3 00 | 20 00 |
| Iris Versicolor, blue iris, moist ground, | 50 | 3 00 | 25 00 |
| Mentha Verdis, spearmint, | 50 | 3 00 | 25 00 |
| '' Piperita, peppermint, | 50 | 4 00 | 30 00 |
| * Pedicularis Canadensis, wood betony, Rudbeckia Hirta, black susan, | 50 50 | 3 00 | 25 00 |
| * Sanguinaria Canadensis, bloodroot, | 50 | 3 00 3 00 | 20 00 20 00 |
| Solidago Caesia, goldenrod, | 50 | 2 50 | 20 00 |
| Tancetum Vulgare, yellow flowers, | 50 | 2 00 | 15 00 |
| Housatonia Caurelea, bluetts, clumps, | . 50 | 3 00 | 25 00 |
| Viola Cuculata, blue violets, | 50 | 3 00 | 20 00 |
| Violets in variety, | 50 | 3 00 | 20 00 |
| * Sedium Telephicum, garden orpine, | 50 | 3 00 | 25 00 |
| *Campanula Rapunculoides, blue bell, Chimaphlia Maculata, princis pine, | 50 50 | 3 00 3 00 | 25 00 |
| Clintonia Borealis, showy, | 50 | 3 00 | 20 00 20 00 |
| Caltha Palustris, marsh marigold, | 50 | 3 00 | 25 00 |
| * Trillium Erectum, purple trillium, | · 80 | 4 00 | 30 00 |
| * Trillium Grandiflorum, | 80 | 4 00 | 30 00 |
| * Trillium Undulatum, painted trillium, | 1 00 | 4 50 | 35 00 |
| Arisaema Tryphillum Jack in the Pulpit, | 1 00 | 5 00 | 40 00 |
| Gentiana Andrewsii, closed gentian, | 1 00 50 | 5 00 | 40 00 |
| Tussilago Farfara, coltsfoot, | 3() | 3 00 | 25 00 |
| Covering Plants and Trailer | s, Strong Clum | ps | |
| * Lysimachia Nummularia, yellow myrtle, | 50 | 2 00 | 15 00 |
| * Vinca Minor, blue myrtle, | 50 | 3 00 | 25 00 |
| Veronica Officianalis, blue speedwell, | 50 | 3 00 | 20 00 |
| Rubus Hispidus, ground blackberry, | 50 | 3 00 | 20 00 |
| | | | |
| Nepeta Glechoma, purple ground ivy, | 50 | 3 00 | 20 00 |
| Goultheria Procumbens, wintergreen, | 50 | 3 00 | 20 00 |
| Coptis Trifolia, gold thread, | 50 | 3 00 | 20 00 |
| Thymus Serj yllum, pink thyme, | 50 | 2 50 | 20 00 |
| Mitchella Repens, squawvine, | 50 | 2 50 | 20 00 |
| Epigaea Repens, arbutus, heavy clumps, | 2 00 | 15 00 | |
| Hardy Ferns, S | trong Plants | | |
| Commission Cinnamana Large Commission | 1 00 | 4 00 | 35 00 |
| Osmunda Cinnamomea, large green, | | | |
| * Pteretis No lulosa, Ostrich fern, | 1 (0) | 4 00 | 35 00 |
| Onoclea Sensibilis, sensitive fern, | 50 | 2 50 | 20 00 |
| Aspidium Spinulosum, evergreen, | 50 | 2 50 | 20 00 |
| Aspi lium Marginale, evergreen, | 5() | 2 50 | 20 00 |
| Polystichum, Acrostichoides, Christmas fern, | 50 | 2 50 | 20 00 |
| Adiatum Pediatum, Maidenhair fern, | 50 | 2 50 | 20 00 |
| Dicksonia Punctiloba, hay scented, | 50 | .3 50 | 20 00 |
| Polypodium Vulgare, cliff fern, | 50 | 2 50 | 20 00 |
| Osmunda Claytonina, interrupted feru, | 80 | 5 00 | |

| | | Per 100 | Per 1000 |
|------------------------------------------|--------------|----------------|------------------|
| 18-24 in, | | \$4 0 0 | \$35 00 |
| Floweri | - | hrubs | |
| | Per 10 | Per 100 | Per 1000 |
| * Symphoricarpus Racemos | | | 40.00 |
| 2-3 ft, 3-4 ft, | 60 1 00 | 5 00 6 00 | 40 00 50 00 |
| Alnus Incana, Tag Alder, | 1 00 | 0 00 | 30 00 |
| 2-4 ft, | 50 | 4 00 | 30 00 |
| 4-6 ft, | 80 | 6 00 | 50 00 |
| Cornus Paniculata, Gray D | _ | • | |
| 2-4 ft, | 50 | 4 00 | 35 00 |
| 4-5 ft, Cornus Stolonifera, Red Os | , 80 sier | 6 00 | 50 00 |
| 2-4 ft, | 50 | 4 00 | 35 00 |
| 4-5 ft, | 1 00 | 8 00 | 70 00 |
| Crataegus Coccinea, White | Thorn | , | |
| 2-4 ft. | 1 00 | 6 00 | 50 00 |
| 4-6 ft, | 2 00 | 15 0€ | |
| 1lex Verticillata, Black Ald | | 4.00 | 25.00 |
| 2-4 ft, 4-6 ft, | 80 1 00 | 4 00 6 00 | 35 00 50 00 |
| Comptonia Asplenifolia, Sv | | | 30 00 |
| 18-24 in, | 50 | 3 00 | 25 00 |
| 24-30 in, | 80 | 4 00 | 35 00 |
| Potentilla Fruticosa, Shrub | by Cin | quefoil, | |
| 18-24 in, | 80 | 5 00 | 40 00 |
| Prunns Virginiana, Chokec | _ | | |
| 2-4 ft, | 50 | 4 00 | 35 00 |
| 4-6 ft, Vibernus Acerifolium, Docl | | 6 00 | 50 00 |
| 2-4 ft, | 50 | 4 00 | 35 00 |
| · · · · · · · · · · · · · · · · · · · | 1 00 | 6 00 | 50 00 |
| Rhus Typhinia, Stag Horn | | ch, | |
| 2-4 ft, | 50 | 3 00 | 25 00 |
| 4-6 ft, | 60 | 5 00 | 40 00 |
| Rhus Glabra, Smooth Sum | | 2.00 | 1 0 |
| 2-4 ft, | 50 60 | 3 00 5 00 | 25 00 |
| 4-5 ft, Hamamelis Virginiana, Wit | | | 45 00 |
| | 1 00 | 5 00 | 45 60 |
| 4-6 ft, | 1 50 | 10 00 | |
| White or Purple Lilac, | | | |
| 2-3 it, | 1 00 | 5 00 | ч0 00 |
| Field Grov | wn A | zaleas | |
| Azalea Nudiflora, Pinkster, | | | |
| 1-2 ft, | 50 | 4 00 | 35 ⊍0 |
| 2-3 ft, | 1 00 | 5 00 | 45 00 |
| 1-2 ft, clumps, | 2 00 | 10 00 | 80 00 |
| 2-3 ft, clumps, 1-2 ft, clumps, B.&B. | 3 00 | 15 00 25 00 | 125 00 230 00 |
| 2-3 ft, clumps, B.&B. | | 35 (0 | 300 00 |
| 3-4 ft, clumps, B.&B. | | 45 00 | 400 00 |
| Azalea Viscosa, Swamp Azal | | | |
| 1-2 ft, | 50 | 3 50 | 30 00 |
| 2-3 ft, | 1 00 | 5 00 | 45 00 |
| 2-5 ft, clumps, B.&B. | | 30 00 | |
| Ornamental Shade | e and | 1 Street | rees |
| | | Per 10 | Per 100 |
| * Acer Saccharum, Sugar of | | | 2 |
| 4 it 4-6 it | | 50 1 00 | 3 00 9 00 |
| 6-S ft | - | 3 00 | 25 00 |
| S-10 ft | | 5 00 | 40 00 |
| * Acer Rubrum, Scarlet or | | | |
| 2-4 ft | | 5 0 | 3 00 |
| 4-6 ft | | 1 00 | 9 00 |
| 6-8 ft | ′ | 3 00 | 25 00 |
| 8-10 ft Betnla Papyrifera, Conoe or | | 5 00 Birch | 40 00 |
| 2-4 ft, | | 50 | 3 00 |
| 4-6 ft, | | 1 00 | 9 00 |
| | | | |

| | Dog 10 | D 100 |
|-----------------------------------------------------------------------------------------------|------------------|--------------------|
| 6-8 ft, | Per 10 \$3 00 | Per 100 \$25 00 |
| 8-10 ft, | 5 00 | 40 00 |
| Betula Populifolia, American Gray | Birch, | |
| 2-4 ft, | 50 | 3 00 |
| 4-6 ft, | 1 00 | 9 00 |
| 6-8 ft, | 3 00 | 25 00 |
| 8-10 ft, | 5 00 | 40 00 |
| Betula Lenta, Black or Sweet Birch 2-4 ft, | 50 | 3 00 |
| 4-6 ft, | 1 00 | 9 00 |
| 6-8 ft, | 3 00 | 25 00 |
| 8-10 ft, | 5 00 | 40 00 |
| Betula Lutea, Yellow or Silver Bir | | • • • • |
| 2-4 ft, | 50 1 00 | 3 00 |
| 4-6 ft, 6-8 ft, | 3 00 | 9 00 25 00 |
| 8 10 ft, | 5 00 | 40 00 |
| Cornus Florida, White Flowering | Dogwood, | |
| 2-4 ft, | 1 00 | 9 00 |
| 4-6 ft, | 2 50 | 23 00 |
| 6-8 ft, | 5 00 | 45 00 |
| 8-10 ft, 10-12 ft, | 7 50 10 00 | 70 00 95 00 |
| Acer Pennsylvanicum, Striped Ma | | 93 00 |
| 2-4 ft. | 50 | 3 00 |
| 4-6 ft, | 1 00 | 9 00 |
| 6-8 ft, | 3 00 | 25 (0 |
| 8-10 ft, | 5 00 | 40 CO |
| Amelanchier Canadensis, Shad Bl | ow, | |
| 2-4 ft, | 50 | 4 00 |
| 4-6 ft. | 1 00 2 00 | 7 00 |
| 6-8 ft. | | 15 00 |
| Carpinus Carolina, Blue or Water 4-6 ft, | 1 50 | 10 00 |
| 6-8 ft, | 2 50 | 20 00 |
| *Prunus Pennsylvanicum, Bird Ch | | |
| 2-4 ft, | 50 | 3 00 |
| 4-6 ft, | 1 00 | 8 00 |
| 6-8 ft, | 2 00 | 15 00 |
| 8-10 ft, | 3 00 | 25 00 |
| Prunus Serotina, Black Cherry, | Ea | • 00 |
| 2-4 ft, | 50 1 00 | 3 00 8 00 |
| 4-6 ft, 6-8 ft, | 3 00 | 25 00 |
| *Quercus Rubra, Red Oak, | 0 00 | 20 00 |
| 2-4 ft, | 1 00 | 7 00 |
| 4-6 ft, | 3 00 | 25 00 |
| 6-8 ft, | 6 00 | 50 00 |
| *Quercus Alba, White Oak, - | | |
| 2-4 ft, | 1 00 | 7 00 |
| 4-6 ft, | 3 00 6 00 | 25 00 50 00 |
| 6-8 ft, 8-10 ft, | 8 00 | 75 00 |
| *Fraxinus Americana, White Ash, | | |
| 2-4 ft, | 50 | 3 00 |
| 4-6 ft, | 80 | 7 50 |
| 6-8 ft, | 1 50 | 12 50 |
| *Populus Tremuloides, Trembling | | |
| 2-4 ft, | 50 | 3 00 |
| 4-6 ft, | 80 1 50 | 7 50 12 50 |
| 6-8 ft, 8-10 ft, | 2 50 | 20 00 |
| | 2 00 | 20 00 |
| Vines | | |
| Per 10 | Dow 100 | Per 1000 |
| | Per 100 | |
| *Clematis Virginiana, Virgins Boy | ver, | |
| *Clematis Virginiana, Virgins Bov 2 & 3 yrs light stock, 50 | | 25 00 40 00 |
| *Clematis Virginiana, Virgins Boy | ver, 3 00 | 25 00 |
| *Clematis Virginiana, Virgins Boy 2 & 3 yrs light stock, 50 3 & 4 yrs heavy stock, 1 00 | ver, 3 00 | 25 00 |

